Appendix A

Example 1

```
# comment
#
[Tag File Category 1]
Feature_1=Feature1_Rules
Feature_2=Feature2_Rules
...

[Tag File Category 2]
...

[Code Fragment Category 1}
Feature_1=Beginning Code Fragment_1;End Code Fragment_1
Feature_2=Beginning Code Fragment_1;End Code Fragment_1
...

[Code Fragment Category 2]
...

[Tag File Category n]
...
```

Example 2

```
[projectFile=hpj]
Text=;Help Project File generated from FrameMaker MIF
Text=;Conversion program mifcvrt written by Mark Stevens
Text=;Copyright (C)1997-2000 Wind River Systems, Inc.
Text=[Options]
Text=NOTES=0
Text=Title=%curWndName%
Text=CONTENTS=%contentsTopic%
Text=CITATION=(c)1997-2000 Wind River Systems, Inc.
Text=COPYRIGHT=Help text copyright 1997-2000 Wind River Systems, Inc.
SingleStep Help System designed by Mark Stevens. Written by Mark Stevens,
Ananda Stevens, and Don Richie. Authored with Adobe FrameMaker.
Text=OLDKEYPHRASE=NO
Text=OPTCDROM=0
Text=REPORT=NO
Text=COMPRESS=12
Text=ERRORLOG=error.txt
Text=BMROOT=Art
Text=BMROOT=..\Art
Text=[FILES]
Text=%FileList%
FileListSyntax=%File%
Text=[ALIAS]
Text=#include <GUIAlias.hh>
Text=%AliasList%
AliasListSyntax=%Alias%=%Target%
```

Example 3

29

```
;Help Project File generated from FrameMaker MIF
;Conversion program mifcvrt written by Mark Stevens
;Copyright (C)1997-2000 Wind River Systems, Inc.
[Options]
NOTES=0
Title=Contents
CONTENTS=IDH_sngppctoc__Contents
CITATION=(c)1997-2000 Wind River Systems, Inc.
COPYRIGHT=Help text copyright 1997-2000 Wind River Systems, Inc.
SingleStep Help System designed by Mark Stevens. Written by Mark Stevens,
Ananda Stevens, and Don Richie. Authored with Adobe FrameMaker.
OLDKEYPHRASE=NO
OPTCDROM=0
REPORT=NO
COMPRESS=12
ERRORLOG=error.txt
BMROOT=Art
BMROOT=..\Art
[FILES]
r:\pub\SingleStep\sngppcTOC.rtf
r:\pub\SingleStep\UserGuide\overview.rtf
r:\pub\SingleStep\UserGuide\conventionsoverview.rtf
r:\pub\SingleStep\UserGuide\introducton.rtf
r:\pub\SingleStep\connections\help\connectionsoverview.rtf
r:\pub\SingleStep\connections\tornado.rtf
r:\pub\SingleStep\connections\embeddeddesktop.rtf
r:\pub\SingleStep\connections\psos.rtf
r:\pub\SingleStep\connections\help\advancedsimulator.rtf
[ALIAS]
#include <GUIAlias.hh>
IDF_menustoolbarspopups__72354=IDH_menustoolbarspopups__Source_Pane_Popup
_Menu
...
```

Example 4

```
{headerFooter}
[header]
Text=<html>
Text=<body bgcolor="#ffffff">
```

Beginning of Each Resulting HTML File

```
<html>

<body bgcolor="#ffffff">
```

Example 5

```
#
# Tag File
# Governs translation of MIF to RTF
# Used with miftortf4
[projectFile=hpj]
Text=;Help Project File generated from FrameMaker MIF
Text=;Conversion program mifcvrt written by Mark Stevens
Text=;Copyright (C)1997-2000 Wind River Systems, Inc.
Text=[Options]
Text=NOTES=0
```

```
Text=Title=%curWndName%
Text=CONTENTS=%contentsTopic%
Text=CITATION=(c)1997-2000 Wind River Systems, Inc.
Text=COPYRIGHT=Help text copyright 1997-2000 Wind River Systems, Inc.
SingleStep Help System designed by Mark Stevens. Written by Mark Stevens, and
Ananda Stevens. Authored with Adobe FrameMaker.
Text=OLDKEYPHRASE=NO
Text=OPTCDROM=0
Text=REPORT=NO
Text=COMPRESS=12
Text=ERRORLOG=error.txt
Text=BMROOT=Art
Text=BMROOT=..\Art
Text=[FILES]
Text=%FileList%
FileListSyntax=%File%
Text=[ALIAS]
Text=#include <GUIAlias.hh>
Text=%AliasList%
AliasListSyntax=%Alias%=%Target%
Text=[MAP]
Text=#include <resource.hh>
Text=[WINDOWS]
Text=main="",(317,0,494,897),29190,,,f0
Text=[CONFIG]
Text=SetPopupColor(255,255,250)
Text=BrowseButtons()
#
[pgfTags]
Answer=\s10\sa100\sb100\widctlpar;\f5\fs20 ;
Appendix=\s20\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y3
AppendixTOC=\s30\li360\sa100\sb100\widctlpar;\f5\fs20 ;3
AxName=\s40\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y3
Body=\s50\sa100\sb100\widctlpar;\f5\fs20 ;
BodyLeft=\s60\sa100\sb100\widctlpar;\f5\fs20 ;
BookTitle=\s70\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y1
BookTitleTOC=\s80\li360\sa100\sb100\widctlpar;\f5\fs20 ;1
Bullet=\s90\sa60\sb60\fi-360\li360\widctlpar\tx36;\f5\fs20 ;
Bulleted=\s100\sa60\sb60\fi-360\li360\widctlpar\tx36;\f5\fs20 ;
Bullet2=\s110\sa60\sb60\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
Bulleted2=\s120\sa60\sb60\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
Bullet3=\s130\sa60\sb60\fi-720\li2180\widctlpar\tx360;\f5\fs20 ;
Bulleted3=\s140\sa60\sb60\fi-720\li2180\widctlpar\tx360;\f5\fs20 ;
Caution=\s150\sa60\sb60\li360\ri360\widctlpar;\f5\fs20 ;
Chap Opening Bullets=\s160\sa60\sb60\fi-
360\li360\keepn\widctlpar\tx360;\f5\fs20 ;
Chapter Opening=\s170\sa110\sb50\keepn\widctlpar;\b\i\f5\fs20 ;
Chapter=\s180\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y3
ChapterTOC=\s190\li360\sa100\sb100\widctlpar;\f5\fs20 ;3
ChBullet=\s200\sa60\sb60\fi-360\li360\keepn\widctlpar\tx360;\f5\fs20 ;
ChipCellBody=\s210\widctlpar;\f5\fs14 ;
ChipCellBodyC=\s220\qc\widctlpar;\f5\fs14 ;
ChipCellBodyR=\s230\qr\widctlpar;\f5\fs14 ;
ChOpening=\s240\sa110\sb50\keepn\widctlpar;\b\i\f5\fs20 ;
ChName=\s250\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y3
ChNameTOC=\s260\li360\sa100\sb100\widctlpar;\f5\fs20 ;3
ChSubtitle=\s270\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
Code=\s280\li360\widctlpar;\f11\fs18 ;
Code2=\s290\li1440\widctlpar;\f11\fs18 ;
CodeAnnotated=\s300\widctlpar;\f11\fs18 ;
CodeSmall=\s310\li360\widctlpar;\f11\fs18 ;
CommandOptionList=\s320\sa0\sb0\li720\widctlpar;\i\f5\fs20 ;
```

```
Example=\s330\sa60\sb60\li360\ri360\widctlpar;\f5\fs20 ;
Example2=\s340\sa60\sb60\li720\ri360\widctlpar;\f5\fs20 ;
FigureTitle=\s350\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
FigureTitleAX=\s360\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
Follow=\s362\sa60\sb60\li720\widctlpar;\f5\fs20 ;
Follow2=\s364\sa60\sb60\li1440\widctlpar;\f5\fs20 ;
Follow3=\s366\sa60\sb60\li2160\widctlpar;\f5\fs20 ;
H2=\s370\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y4
H2TOC=\s380\li720\sa100\sb100\widctlpar;\f5\fs20 ;4
H3=\s390\sa110\sb30\widctlpar;\cf13 \b\f5\fs20\kerning28 ;Y5
H3TOC=\s400\li1440\sa100\sb100\widctlpar;\f5\fs20 ;5
H4=\s410\sa110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;
H5=\s420\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
Heading 1=\s430\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y4
heading 1=\s440\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y4
Heading 1TOC=\s450\li720\sa100\sb100\widctlpar;\f5\fs20 ;4
heading 1TOC=\s460\li720\sa100\sb100\widctlpar;\f5\fs20 ;4
Heading 2=\s470\sa110\sb30\widctlpar;\cf13 \b\f5\fs20\kerning28 ;Y5
heading 2=\s480\sa110\sb30\widctlpar;\cf13 \b\f5\fs20\kerning28 ;Y5
Heading 2TOC=\s490\li1440\sa100\sb100\widctlpar;\f5\fs20 ;5
heading 2TOC=\s500\li1440\sa100\sb100\widctlpar;\f5\fs20 ;5
Heading 3=\s510\sa110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;P6
Heading 4=\s520\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
heading 4=\s530\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
HeadingRefEntry=\s540\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28
;Y4
HeadingRefItem=\s550\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
HeadingRefSubEntry=\s560\sa110\sb30\widctlpar;\cf13 \b\f5\fs20\kerning28 ;Y5
HeadingRunIn=\s570\sa110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;P6
HeadingRunInNoPopup=\s580\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
HU=\s590\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
HU-run=\s600\sa110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;P6
HUrun=\s605\sa110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;P6
Information=\s610\li360\sa100\widctlpar;\i\f5\fs20 ;N;PopupTitle
Listed=\s620\sa60\sb60\li720\widctlpar;\f5\fs20 ;
Listed2=\s630\sa60\sb60\li1440\widctlpar;\f5\fs20 ;
Listed3=\s640\sa60\sb60\li2160\widctlpar;\f5\fs20 ;
MainTitle=\s650\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y2
Note=\s660\sa60\sb60\li360\ri360\widctlpar;\f5\fs20 ;
Note2=\s670\sa60\sb60\li720\ri360\widctlpar;\f5\fs20 ;
NoteAlso=\s680\sa60\sb60\li360\ri360\widctlpar;\f5\fs20 ;
Note2Also=\s690\sa60\sb60\li720\ri360\widctlpar;\f5\fs20 ;
Numbered=\s700\sa60\sb60\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
Numbered2=\s710\sa60\sb60\fi-720\li2180\widctlpar\tx720;\f5\fs20 ;
Numbered2First=\s720\sa60\sb60\fi-720\li2180\widctlpar\tx720;\f5\fs20 ;
NumberedFirst=\s730\sa60\sb60\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
Popup=\s740\sa100\sb100\widctlpar;\f5\fs20 ;N;PopupText
PopupFirst=\s750\sa100\sb100\widctlpar;\f5\fs20 ;N;PopupText
Question=\s760\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y4
QuestionTOC=\s770\li360\sa100\sb100\widctlpar;\f5\fs20 ;4
RefAnchor=\s776\sa100\sb100\widctlpar;\f5\fs20 ;F5
RefEntry=\s780\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y5
RefEntryTOC=\s790\li1440\sa100\sb100\widctlpar;\f5\fs20 ;5
RefEntrySection=\s800\sa110\sb30\widctlpar;\cf13 \b\f5\fs20 ;P6
RefEntryTerm=\s810\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
Step1.=\s820\sa60\sb60\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
StepN.=\s830\sa60\sb60\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
StepN.1=\s840\sa60\sb60\fi-720\li2180\widctlpar\tx720;\f5\fs20 ;
StepN.N=\s850\sa60\sb60\fi-720\li2180\widctlpar\tx720;\f5\fs20 ;
SubChapter=\s860\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
SubHeading 1=\s870\sa120\sb50\keep\widctlpar;\b\f5\fs28\kerning28 ;
TableFootnote=\s880\sa100\sb100\widctlpar;\f5\fs18 ;
```

```
TableTitle=\s890\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
TableTitleAX=\s900\sa110\sb50\widctlpar;\b\i\f5\fs20 ;
Task=\s910\sa100\sb100\fi-360\li720\widctlpar\tx360;\f5\fs20 ;
Task2=\s920\sa100\sb100\fi-720\li1440\widctlpar\tx720;\f5\fs20 ;
TaskIntro=\s930\sa100\sb100\fi-360\li720\widctlpar\tx360;\f5\fs20 ;
TaskIntro2=\s940\sa100\sb100\fi-720\li1440\widctlpar\tx720;\f5\fs20 ;
Term=\s945\sa110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;P6
Title=\s950\sa120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y2
Tagline=\s960\li360\sa100\widctlpar;\i\f5\fs20 ;N;PopupTitle
TopicNoHead=\pard\plain \page \par \s970\sa100\sb100\widctlpar;\f5\fs20 ;
TitleTOC=\s980\sa100\sb100\widctlpar;\f5\fs20 ;2
Warning=\s990\sa60\sb60\li360\ri360\widctlpar;\f5\fs20 ;
#
[fntTags]
Bold=\cs3 ;\b ;}
code=\cs5 ;\i ;}
Caption=\cs7 ;\b ;}
command=\cs9 ;\b ;}
default=\cs11 ;\b\i ;}
Emphasis=\cs21 ;\i ;}
emphasis=\cs31 ;\i ;}
guiLabel=\cs41 ;\b\i ;}
Inline code=\cs47 ;b ;}
input=\cs51 ;\b ;}
key=\cs61 ;\b ;}
linkGuiLabelPopup=\cs71 ;\ul\cf11 ;}
LinkID=\cs81 ;\v\cf14 ;}
LinkJump=\cs91 ;\uldb\cf11 ;}
linkJump=\cs101 ;\uldb\cf11 ;}
LinkPopup=\cs111 ;\ul\cf11 ;}
linkPopup=\cs121 ;\ul\cf11 ;}
LinkLiteralPopup=\cs131 ;\ul\cf11 ;}
Literal=\cs141 ;\b\i ;}
literal=\cs143 ;\b\i ;}
ParagraphNumber=\cs151 ;\b ;}
Reference=\cs161 ;\i ;}
Strong=\cs171 ;\b ;}
strong=\cs181 ;\b ;}
term=\cs191 ;\i ;}
textVariable=\cs201 ;\i ;}
title=\cs211 ;\i ;}
url=\cs221 ;\b ;}
#
[replacePairs]
\>=>
{=\{
}=\}
\xd4 =`
\q='
\xd5 ='
\xd2 ="
\xd3 ="
\Q=`
M_CORE=M.CORE
\xed=\{bmc arrow.wmf\}
\xa5=\{bmc reddot.wmf\}
\xa8=\{bmc reddiamond.wmf\}
\xa9=\{bmc redsquarebullet.bmp\}
#
#
#
```